



Sepsis Risk Factors

Sepsis is the body's extreme response to an infection. It happens when an infection you already have triggers a chain reaction throughout your body and can be a life-threatening medical emergency. If a resident has had an infection and one or more of the risks below, the Sepsis Bundle | Risk Factors and Action Tool may be implemented.

Risk
Compromised Immune SystemUnable to fight infections
Residents With Chronic Conditions
Cancer • Weaker immune system
 Previous Use of Antibiotics or Corticosteroids Weaker immune system
 > 65 Years of Age Residents who are 65 years old and older are at high risk due to presence of bacteria and weaker immune system
Functional Limitations
Recurrent Hospitalizations
 Opioid Addiction/Large Dose of Loperamide Results in constipation and impaction Can result in the intestines absorbing the bacteria from the impacted material The impaction can also lead to perforation within the digestive tract, causing bacteria to spread in the body
Neglecting Signs of Infection

References:

Frank A, Bates C, et.al. The Impact of the Drug Epidemic on the Incidence of Sepsis in West Virginia. National Center for Biotechnology Information (NCBI). National Library of Medicine (NLM). Cureus. 2018; Oct 30. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6318118/

Kesler K, Langdorf MI, Burns MJ. Opioid Dependent Malingerer with Self-Induced Sepsis. NCBI. NLM. West J Emerg Med. 2016; Nov 17. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5102610/

Sepsis Alliance. Sepsis and IV Drug Use. 2023. https://www.sepsis.org/sepsisand/iv-drug-use/

Sepsis Alliance. Sepsis and Perforated Bowel. 2023. https://www.sepsis.org/sepsisand/perforated-bowel/